

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	158148	(default or hardcoded or (hard adj coded) or fixed or (hard adj wired) or hardwired) near2 (value\$1 or parameter\$1 or data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:18
L27	29184	switch near2 selector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 10:27
L91	4388	(control\$3 or manag\$5) near6 (((low adj power) or sleep\$3 or suspend\$3 or LPM) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 09:51
L97	879	91 same (switch or (switch\$3 near2 (logic or circuit\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 10:27
L114	4148	context adj switch\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 10:13
L115	78	114 same ((plurality or multiple) near2 register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 10:29
L125	2483	114 same (switch or (switch\$3 near2 (logic or circuit\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 10:39
L126	526	91 with (switch or (switch\$3 near2 (logic or circuit\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 10:27
L127	7	97 same 27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 10:28
L128	3	126 with 27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 10:27

L129	2370	114 with (switch or (switch\$3 near2 (logic or circuit\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 10:29
L130	42	125 same ((plurality or multiple) near2 register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 10:37
L131	13	129 with ((plurality or multiple) near2 register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 10:30
L132	0	97 same ((plurality or multiple) near2 register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 10:36
L133	879	91 same 97	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 10:36
L134	526	91 with 126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 10:37
L135	0	133 same ((plurality or multiple) near2 register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 10:54
L136	2293	(select\$3 or choos\$3) near6 ((plurality or multiple) near2 register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 10:58
L137	138	136 same (switch or (switch\$3 near2 (logic or circuit\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 10:53
L138	75	136 with (switch or (switch\$3 near2 (logic or circuit\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 10:39

L139	0	136 same 114	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 10:42
L140	0	137 same (((low adj power) or sleep\$3 or suspend\$3) adj (state\$1 or mode\$1) or LPM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 10:41
L141	0	137 same context	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 10:42
L142	2	137 same (default or fixed or hardcod\$3 or (hard adj coded\$3) or (hard adj wir\$3) or hardwir\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 10:43
L143	1644	(enabl\$3 or disabl\$3) near6 (((low adj power) or sleep\$3 or suspend\$3) adj (state\$1 or mode\$1)) or LPM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:06
L144	254	143 same (switch or (switch\$3 near2 (logic or circuit\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:07
L145	145	143 with (switch or (switch\$3 near2 (logic or circuit\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 10:54
L146	0	144 same ((plurality or multiple) near2 register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:06
L147	16	144 same register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:00
L148	2	145 with register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 10:57

L149	0	143 same 114	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 10:57
L150	1	144 same ((select\$3 or choos\$3) near2 register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 10:59
L151	69	144 same (select\$5 or choos\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:00
L152	41	145 with (select\$5 or choos\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:00
L153	3	151 same register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:01
L154	1	152 with register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:01
L155	0	143 same ((selectively near2 switch\$3) near6 register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:04
L160	0	((selectively near2 switch\$3) near6 register\$1) same (((low adj power) or sleep\$3 or suspend\$3) adj (state\$1 or mode\$1)) or LPM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:03
L161	0	143 same ((selectively near5 switch\$3) near6 register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:05
L164	2064	(selectively near5 switch\$3) same register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:05

L165	1211	(selectively near5 switch\$3) with register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:05
L166	98	(selectively near5 switch\$3) same ((plurality or multiple) near2 register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:06
L167	51	(selectively near5 switch\$3) with ((plurality or multiple) near2 register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:06
L168	0	166 same (((low adj power) or sleep\$3 or suspend\$3) adj (state\$1 or mode\$1)) or LPM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:09
L169	62	166 same (switch or (switch\$3 near2 (logic or circuit\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:10
L170	28	167 with (switch or (switch\$3 near2 (logic or circuit\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:07
L171	0	169 same 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:09
L172	0	169 same (default or hardcoded or (hard adj coded) or fixed or (hard adj wired) or hardwired)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:11
L173	7	164 same (((low adj power) or sleep\$3 or suspend\$3) adj (state\$1 or mode\$1)) or LPM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:10
L174	0	165 with (((low adj power) or sleep\$3 or suspend\$3) adj (state\$1 or mode\$1)) or LPM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:10

L175	1381	164 same (switch or (switch\$3 near2 (logic or circuit\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:11
L176	729	165 with (switch or (switch\$3 near2 (logic or circuit\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:11
L177	50	175 same (default or hardcoded or (hard adj coded) or fixed or (hard adj wired) or hardwired)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:12
L178	16	176 with (default or hardcoded or (hard adj coded) or fixed or (hard adj wired) or hardwired)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:11
L179	7	164 same 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:19
L180	4	165 with 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:18
L181	2	164 same (bypass near2 register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 11:20

S7	6	S1 with (state near2 (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 09:52
S8	0	S6 same register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 16:33
S9	0	S7 with register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 09:45
S10	25778	(stor\$3 or contain\$3) near6 (state near2 (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 09:54
S11	74	(stor\$3 or contain\$3) near6 (state adj control adj (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:09
S12	7	S11 same register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:11
S13	5	S11 with register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 09:56
S14	0	S12 same ((low adj power) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 09:43
S15	0	S13 with ((low adj power) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 09:55
S16	26	S10 same ((low adj power) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:39

S17	9	S10 with ((low adj power) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:03
S18	8	S16 same register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:02
S19	0	S17 with register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:02
S20	1826	(transition\$3 or chang\$3) near6 (((low adj power) or sleep\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 08:09
S21	130	S20 same ((working or normal) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:10
S22	112	S20 with ((working or normal) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:10
S23	12	S21 same register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:35
S24	3	S22 with register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:11
S25	2	S23 same (monitor or display or (graphics adj controller))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 12:11
S26	6310	(select\$3 or choos\$3) near6 (state near2 (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:37

S27	18	S26 same (switch\$3 near6 register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:27
S28	10	S26 with (switch\$3 near6 register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:24
S29	0	S27 same ((low adj power) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:24
S30	0	S28 with ((low adj power) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:24
S31	31	S21 same (switch\$3 or (switch\$3 adj circuit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:29
S32	15	S22 with (switch\$3 or (switch\$3 adj circuit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:29
S33	31	S21 same (switch\$3 or (switch\$3 near2 (circuit\$1 or logic)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:35
S34	15	S22 with (switch\$3 or (switch\$3 near2 (circuit\$1 or logic)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:30
S35	17	(switch\$3 or (switch\$3 near2 (circuit\$1 or logic))) near6 (state adj control adj (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:46
S36	0	S35 same register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:47

S37	0	S35 same ((low adj power) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:36
S38	65674	(select\$3 or choos\$3) near6 register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:37
S39	11236	S38 same (switch\$3 or (switch\$3 near2 (circuit\$1 or logic)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:38
S40	6850	S38 with (switch\$3 or (switch\$3 near2 (circuit\$1 or logic)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:38
S41	8	S39 same ((low adj power) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:41
S42	3	S40 with ((low adj power) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:39
S43	16	S39 same (((low adj power) or sleep\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:41
S44	3	S40 with (((low adj power) or sleep\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:42
S45	3	S23 same (monitor or display or (graphics adj controller) or LCD or CRT)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:54
S46	0	S24 with (monitor or display or (graphics adj controller) or LCD or CRT)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:45

S47	402	S20 same (switch\$3 or (switch\$3 near2 (circuit\$1 or logic)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:54
S48	195	S20 with (switch\$3 or (switch\$3 near2 (circuit\$1 or logic)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:47
S49	29	S47 same register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:52
S50	6	S48 with register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:47
S51	3979	(enter\$3 or exit\$3) near6 (((low adj power) or sleep\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:33
S52	145	S51 same ((working or normal) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:52
S53	73	S51 with ((working or normal) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:52
S54	24	S52 same register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:55
S55	2	S53 with register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:53
S56	855	S51 same (switch\$3 or (switch\$3 near2 (circuit\$1 or logic)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 11:12

S57	343	S51 with (switch\$3 or (switch\$3 near2 (circuit\$1 or logic)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:54
S58	147	S56 same (monitor or display or (graphics adj controller) or LCD or CRT)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 11:03
S59	19	S57 with (monitor or display or (graphics adj controller) or LCD or CRT)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:54
S60	10	S58 same register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:57
S61	1	S59 with register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 10:55
S62	1	(bypass\$3 or ignor\$3) near6 (state adj control adj (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 16:45
S63	634	(bypass\$3 or ignor\$3) near6 ((state or mode) near2 (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 11:06
S64	116	S63 same register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 11:08
S65	44	S63 with register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 11:01
S66	1	S64 same (((low adj power) or sleep\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 11:18

S67	0	S65 with (((low adj power) or sleep\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 11:02
S68	9	S64 same (monitor or display or (graphics adj controller) or LCD or CRT)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 11:07
S69	2	S65 with (monitor or display or (graphics adj controller) or LCD or CRT)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 11:04
S70	2	S63 same (((low adj power) or sleep\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 11:05
S71	146	(bypass\$3 or ignor\$3) near6 (((low adj power) or sleep\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 11:16
S72	36	S71 same (monitor or display or (graphics adj controller) or LCD or CRT)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 11:07
S73	1	S71 with (monitor or display or (graphics adj controller) or LCD or CRT)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 11:07
S74	18	S71 same register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 11:13
S75	6	S71 with register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 11:10
S76	58	S71 same (switch\$3 or (switch\$3 near2 (circuit\$1 or logic)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 11:16

S77	22	S71 with (switch\$3 or (switch\$3 near2 (circuit\$1 or logic)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 11:12
S78	12	S76 same register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 11:19
S79	5	S77 with register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 11:15
S80	4400	(select\$3 or choos\$3 or enter\$3) near6 (((low adj power) or sleep\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:29
S81	904	S80 same (switch\$2 or (switch\$3 near2 (circuit\$1 or logic)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 11:16
S82	362	S80 with (switch\$2 or (switch\$3 near2 (circuit\$1 or logic)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 11:16
S83	16	S81 same (bypass\$3 or ignor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 11:19
S84	7	S82 with (bypass\$3 or ignor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 11:18
S85	1079	(((low adj power) or sleep\$3) adj (state\$1 or mode\$1)) near2 (switch\$2 or (switch\$3 near2 (circuit\$1 or logic)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 11:19
S86	32	S85 same register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 11:19

S87	13	S85 with register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 11:20
S88	7	S86 same (bypass\$3 or ignor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 11:22
S89	0	S87 with (bypass\$3 or ignor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 11:19
S90	22	S85 same (bypass\$3 or ignor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 11:22
S91	13	S85 with (bypass\$3 or ignor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 11:22
S92	51	("4128771" "4151611" "4204249" "4293927" "4317180" "4317181" "4365290" "4381552" "4409665" "4422163" "4611289" "4615005" "4665536" "4698748" "4716463" "4747041" "4758945" "4780843" "4809163" "4823292" "4843592" "4851987" "4907150" "4951309" "4980836" "5025387" "5041964" "5083266" "5142684" "5167024" "5218704" "5241680" "5307285" "5345347" "5355503" "5396635" "5404546" "5410590" "5423045" "5428252" "5454114" "5481730" "5504907" "5511205" "5546590" "5606704" "5805909" "5928365" "6115823" "6219797" "6401156").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/05 11:24
S93	2	"5938771".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 11:55

S94	1826	(transition\$3 or chang\$3) near6 (((low adj power) or sleep\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 16:40
S95	20	S94 same (((operating adj system) or OS) near2 control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 16:50
S96	6	S94 with (((operating adj system) or OS) near2 control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 16:33
S97	3	S95 same register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 16:47
S98	0	S96 with register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 16:33
S99	4	S95 same instruction\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 16:37
S10 0	0	S96 with instruction\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 16:34
S10 1	15	S94 same (prohibit\$3 or prvent\$3 or ("not" adj allow\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 08:05
S10 2	6	S94 with (prohibit\$3 or prvent\$3 or ("not" adj allow\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 16:40
S10 3	5469	(enter\$3 or switch\$3) near6 (((low adj power) or sleep\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 16:48

S10 4	38	S103 same (prohibit\$3 or prvent\$3 or ("not" adj allow\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 16:42
S10 5	18	S103 with (prohibit\$3 or prvent\$3 or ("not" adj allow\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 16:41
S10 6	2	(invalidat\$3 or cancel\$3 or ignor\$3) near6 (state adj control adj (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 17:02
S10 7	869	(invalidat\$3 or cancel\$3 or ignor\$3) near6 ((state or mode) near2 (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 16:47
S10 8	64	S107 same register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 16:57
S10 9	36	S107 with register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 16:47
S11 0	1	S108 same (((low adj power) or sleep\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 08:05
S11 1	0	S109 with (((low adj power) or sleep\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 16:48
S11 2	0	S108 same (((operating adj system) or OS) near2 control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 16:49
S11 3	0	S109 with (((operating adj system) or OS) near2 control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 16:49

S11 4	1	S107 same (((operating adj system) or OS) near2 control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 16:50
S11 5	0	S107 with (((operating adj system) or OS) near2 control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 16:50
S11 6	376	(((low adj power) or sleep\$3) adj (state\$1 or mode\$1)) same (state adj (machine or controller))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 16:52
S11 7	186	(((low adj power) or sleep\$3) adj (state\$1 or mode\$1)) with (state adj (machine or controller))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 16:53
S11 8	0	S116 same S106	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 16:53
S11 9	0	S117 with S107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 16:54
S12 0	42	S116 same S94	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 16:54
S12 1	26	S117 with S94	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 16:54
S12 2	105	S116 same S103	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 16:59
S12 3	57	S117 with S103	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 16:55

S12 4	21	S120 same register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 16:58
S12 5	5	S121 with register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 16:57
S12 6	32	S122 same register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 17:00
S12 7	4	S123 with register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 16:59
S12 8	12	(invalidat\$3 or cancel\$3 or ignor\$3) same (state adj control adj (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 17:03
S12 9	2	(invalidat\$3 or cancel\$3 or ignor\$3) with (state adj control adj (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 17:03
S13 0	18	(prohibit\$3 or prvent\$3 or ("not" adj allow\$3)) near6 (((low adj power) or sleep\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:46
S13 1	0	S130 same register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 08:06
S13 2	0	S130 same (state adj (controller or machine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 08:13
S13 3	0	S130 same ((advanced adj configuration adj2 power adj interface) or ACPI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 08:26

S13 4	1826	(transition\$3 or chang\$3) near6 (((low adj power) or sleep\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 08:17
S13 5	63	S134 same ((advanced adj configuration adj2 power adj interface) or ACPI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 08:10
S13 6	32	S134 with ((advanced adj configuration adj2 power adj interface) or ACPI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 08:10
S13 7	24	S135 same register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 08:10
S13 8	9	S136 with register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 08:13
S13 9	0	S135 same (state adj (controller or machine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 08:13
S14 0	13	S135 same controller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 08:14
S14 1	0	S136 with controller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 08:14
S14 2	2	S134 same ((operating adj system) or OS) near2 instruction\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 08:19
S14 3	3979	(enter\$3 or exit\$3) near6 (((low adj power) or sleep\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 12:01

S14 4	2	S143 same ((operating adj system) or OS) near2 instruction\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 08:26
S14 5	869	(invalidat\$3 or cancel\$3 or ignor\$3) near6 ((state or mode) near2 (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 08:22
S14 6	36	S145 with register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 08:24
S14 7	5469	(enter\$3 or switch\$3) near6 (((low adj power) or sleep\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 08:25
S14 8	0	S145 same S147	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 08:25
S14 9	0	S145 same S134	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 08:25
S15 0	0	S145 same ((advanced adj configuration adj2 power adj interface) or ACPI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 08:26
S15 1	2	S145 same ((operating adj system) or OS) near2 instruction\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 08:26
S15 2	40	S145 same instruction\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 08:27
S15 3	19	S145 with instruction\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 08:27

S15 4	64	S145 same register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 08:27
S15 5	36	S145 with register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 08:28
S15 6	7	S154 same instruction\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 08:28
S15 7	1	S155 with instruction\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 08:28
S15 8	4251	(prevent\$3 or avoid\$3) near6 (system near2 (freez\$3 or lock\$3 or (lock\$3 adj up)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 09:51
S15 9	1826	(transition\$3 or chang\$3) near6 (((low adj power) or sleep\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 10:07
S16 0	1	S158 same S159	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 09:52
S16 1	3979	(enter\$3 or exit\$3) near6 (((low adj power) or sleep\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 09:49
S16 2	2	S158 same S161	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 09:50
S16 3	52	(prevent\$3 or avoid\$3) near6 (((operating adj system) or OS) near2 (freez\$3 or lock\$3 or (lock\$3 adj up)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 09:51

S16 4	0	S163 same S159	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 09:52
S16 5	1	S163 same S161	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 09:53
S16 6	53671	(manual\$2 or default or hardcoded or (hard adj coded) or fixed) near6 (enabl\$3 or disabl\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 10:05
S16 7	6	S166 same S159	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 09:56
S16 8	0	S166 with S159	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 09:55
S16 9	17	S166 same S161	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 09:58
S17 0	2	S166 with S161	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 09:57
S17 1	4	(manual\$2 or default or hardcoded or (hard adj coded) or fixed) near6 (state adj control adj (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 10:06
S17 2	1114	(manual\$2 or default or hardcoded or (hard adj coded) or fixed) near6 (state near2 (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 10:14
S17 3	0	S172 same S159	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 10:07

S17 4	0	S172 same (((low adj power) or sleep\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 10:13
S17 5	84	S172 same register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 10:15
S17 6	40	S172 with register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 10:08
S17 7	0	S175 same S163	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 10:10
S17 8	14	S175 same switch\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 10:11
S17 9	4	S176 with switch\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 10:10
S18 0	3	S172 same (((low adj power) or sleep\$3 or suspend\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 10:15
S18 1	914	(default or hardcoded or (hard adj coded) or fixed) near6 (state near2 (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:24
S18 2	73	S181 same register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 10:15
S18 3	34	S181 with register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 10:15

S18 4	1	S182 same (((low adj power) or sleep\$3 or suspend\$3 or LPM) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 10:24
S18 5	3	S181 same (((low adj power) or sleep\$3 or suspend\$3 or LPM) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 10:17
S18 6	2	S181 with (((low adj power) or sleep\$3 or suspend\$3 or LPM) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 10:17
S18 7	291	S181 same stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 10:19
S18 8	196	S181 with stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 10:19
S18 9	46	S187 same register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 10:21
S19 0	11	S188 with register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 10:20
S19 1	920	(default or hardcoded or (hard adj coded) or fixed or hardwired or (hard adj wired)) near6 (state near2 (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 10:25
S19 2	3	S191 same (((low adj power) or sleep\$3 or suspend\$3 or LPM) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 10:24
S19 3	1621	(enabl\$3 or disabl\$3) near6 (((low adj power) or sleep\$3 or suspend\$3 or LPM) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:27

S19 4	0	S193 same S191	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 10:26
S19 5	50	S193 same (default or hardcoded or (hard adj coded) or fixed or hardwired or (hard adj wired))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:24
S19 6	25	S193 with (default or hardcoded or (hard adj coded) or fixed or hardwired or (hard adj wired))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 10:26
S19 7	14	S195 same register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 10:31
S19 8	4	S196 with register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 10:30
S19 9	16	S195 same (high or low)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 10:34
S20 0	6	S196 with (high or low)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 10:32
S20 1	3	S195 same switch\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 10:34
S20 2	1	S196 with switch\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 10:34
S20 3	41	(device near2 state\$1) near6 ((advanced adj configuration adj2 power adj interface) or ACPI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 12:03

S20 4	1826	(transition\$3 or chang\$3) near6 (((low adj power) or sleep\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 15:01
S20 5	0	S203 same S204	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 12:00
S20 6	2297	(transition\$3 or chang\$3) near6 (((low adj power) or sleep\$3 or suspend\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 12:00
S20 7	0	S203 same S206	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 12:01
S20 8	4524	(enter\$3 or exit\$3) near6 (((low adj power) or sleep\$3 or suspend\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 12:01
S20 9	1	S203 same S208	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 12:03
S21 0	102	(device near2 state\$1) same ((advanced adj configuration adj2 power adj interface) or ACPI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 12:03
S21 1	62	(device near2 state\$1) with ((advanced adj configuration adj2 power adj interface) or ACPI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 12:03
S21 2	7	S210 same S204	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 12:06
S21 3	0	S211 with S204	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 12:03

S21 4	15	S210 same S208	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 12:10
S21 5	1	S211 with S208	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 12:06
S21 6	25	(prohibit\$3 or prvent\$3 or ("not" adj allow\$3)) near6 (((low adj power) or sleep\$3 or suspend\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 12:10
S21 7	0	S210 same S216	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 12:10
S21 8	16	S210 same (monitor or display or (graphics adj controller))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 12:12
S21 9	8	S211 with (monitor or display or (graphics adj controller))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 12:11
S22 0	12	("5369744" "5524249" "5606336" "5801714" "5805151" "5859635" "5903253" "6028585" "6067083" "6105142" "6122748" "6446213").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/06 13:57
S22 1	31	((video or display or monitor or graphics) near2 controller) same ((advanced adj configuration adj2 power adj interface) or ACPI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:21
S22 2	11	((video or display or monitor or graphics) near2 controller) with ((advanced adj configuration adj2 power adj interface) or ACPI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:21
S22 3	5	S221 same register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:13

S22 4	3	S222 with register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:12
S22 5	4	S221 same (device near2 state\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:14
S22 6	3	S222 with (device near2 state\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:14
S22 7	25	(prohibit\$3 or prvent\$3 or ("not" adj allow\$3)) near6 (((low adj power) or sleep\$3 or suspend\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:15
S22 8	0	S221 same S227	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:15
S22 9	3	S221 same switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:16
S23 0	0	S222 with switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:15
S23 1	634	(bypass\$3 or ignor\$3) near6 ((state or mode) near2 (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:16
S23 2	0	S221 same S231	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:17
S23 3	0	S221 same bypass\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:17

S23 4	2	((accelerated adj graphics adj port) or AGP) adj bus) same ((advanced adj configuration adj2 power adj interface) or ACPI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:31
S23 5	1	((accelerated adj graphics adj port) or AGP) adj bus) same (transition\$3 or chang\$3) near6 (((low adj power) or sleep\$3 or suspend\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:33
S23 6	3	((accelerated adj graphics adj port) or AGP) adj bus) same ((enter\$3 or exit\$3) near6 (((low adj power) or sleep\$3 or suspend\$3) adj (state\$1 or mode\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:35
S23 7	638	(prohibit\$3 or prevent\$3 or ("not" adj allow\$3)) near6 (((low adj power) or sleep\$3 or suspend\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:48
S23 8	2345	(prohibit\$3 or prevent\$3 or ("not" adj allow\$3)) same (((low adj power) or sleep\$3 or suspend\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:47
S23 9	1116	(prohibit\$3 or prevent\$3 or ("not" adj allow\$3)) with (((low adj power) or sleep\$3 or suspend\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:52
S24 0	869	(invalidat\$3 or cancel\$3 or ignor\$3) near6 ((state or mode) near2 (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:48
S24 1	0	S238 same S240	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:49
S24 2	0	S239 with S240	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:49
S24 3	321	S238 same switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:57

S24 4	69	S239 with switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:50
S24 5	38	S243 same register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:50
S24 6	0	S244 with register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:50
S24 7	1042	(select\$3 or choos\$3) near6 (((low adj power) or sleep\$3 or suspend\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:53
S24 8	122	S247 same switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:53
S24 9	2	S239 same S248	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 15:02
S25 0	22	S239 same S247	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:54
S25 1	16	S239 with S247	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:54
S25 2	34	S239 same (default or bypass\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:56
S25 3	2	S239 with (default or bypass\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:56

S25 4	28	S247 same (default or bypass\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:57
S25 5	6	S247 with (default or bypass\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:59
S25 6	7	S254 same switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 15:03
S25 7	0	S255 with switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 14:57
S25 8	176	S238 same ((transition\$3 or chang\$3) near6 (((low adj power) or sleep\$3 or suspend\$3) adj (state\$1 or mode\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:27
S25 9	62	S239 with ((transition\$3 or chang\$3) near6 (((low adj power) or sleep\$3 or suspend\$3) adj (state\$1 or mode\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 15:02
S26 0	23	S258 same switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 15:04
S26 1	1	S259 with switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 15:03
S26 2	80	switch\$3 adj between adj register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:25
S26 3	1	S262 same (default or bypass\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:22

S26 4	914	(default or hardcoded or (hard adj coded) or fixed) near6 (state near2 (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 08:14
S26 5	0	S262 same S264	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:24
S26 6	8	S262 same (default or hardcoded or (hard adj coded) or fixed or hardwired or (hard adj wired))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:26
S26 7	0	S262 with (default or hardcoded or (hard adj coded) or fixed or hardwired or (hard adj wired))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:24
S26 8	21030	switch\$3 near3 register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:25
S26 9	698	S268 same (default or hardcoded or (hard adj coded) or fixed or hardwired or (hard adj wired))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:26
S27 0	251	S268 with (default or hardcoded or (hard adj coded) or fixed or hardwired or (hard adj wired))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:26
S27 1	1621	(enabl\$3 or disabl\$3) near6 (((low adj power) or sleep\$3 or suspend\$3 or LPM) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:27
S27 2	0	S269 same S271	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:30
S27 3	0	S269 same ((transition\$3 or chang\$3) near6 (((low adj power) or sleep\$3 or suspend\$3) adj (state\$1 or mode\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:27

S27 4	4524	(enter\$3 or exit\$3) near6 (((low adj power) or sleep\$3 or suspend\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:28
S27 5	0	S269 same S274	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:28
S27 6	4978	(select\$3 or choos\$3 or enter\$3) near6 (((low adj power) or sleep\$3 or suspend\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:30
S27 7	0	S269 same S276	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:30
S27 8	7	S269 same (((low adj power) or sleep\$3 or suspend\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:30
S27 9	0	S270 with (((low adj power) or sleep\$3 or suspend\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:30

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1823	(transition\$3 or chang\$3) near6 (((low adj power) or sleep\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 14:50
L2	5471	(enter\$3 or switch\$3) near6 (((low adj power) or sleep\$3) adj (state\$1 or mode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 14:51
L3	515	(1 or 2) same (prohibit\$3 or prevent\$3 or ("not" adj allow\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 14:52
L4	225	(1 or 2) with (prohibit\$3 or prevent\$3 or ("not" adj allow\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 14:52
L5	6	3 same ((advanced adj configuration adj2 power adj interface) or ACPI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 14:54
L6	0	4 with ((advanced adj configuration adj2 power adj interface) or ACPI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 14:52
L7	3	3 same (graphics adj controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 14:55
L8	0	4 with (graphics adj controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 15:02
L9	5	("5471625" "5659715" "6052133" "6292201" "6434688").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/07 14:56
L10	0	3 same (state adj controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 15:04

L11	0	4 with (state adj controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 15:02
L12	6	3 same (state adj (controller or machine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 15:04
L13	0	4 with (state adj (controller or machine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 15:04